

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




FIG. 1





FIG. 2

2/12



3/12

204

212

218

202

224

308

300

conneXion

CBB ID: 2095431 SW Version: 2.18 Update Aircraft Info

Tail Number: LINE001 Aircraft Type: A344

### System Configuration

Date/Time: Wednesday, 10-Mar-2010 17:48:30 GMT

CoreNet Sub-System Loadable Configuration

ID	Name	Value	Unit	Status
1	CSM	CSM		OK
2	ARM	ARM		OK
3	ECM	ECM		OK
4	CD	CD		OK
5	CD	CD		OK
6	CD	CD		OK
7	CD	CD		OK
8	CD	CD		OK
9	CD	CD		OK
10	CD	CD		OK
11	CD	CD		OK
12	CD	CD		OK
13	CD	CD		OK
14	CD	CD		OK
15	CD	CD		OK
16	CD	CD		OK
17	CD	CD		OK
18	CD	CD		OK
19	CD	CD		OK
20	CD	CD		OK
21	CD	CD		OK
22	CD	CD		OK
23	CD	CD		OK
24	CD	CD		OK
25	CD	CD		OK
26	CD	CD		OK
27	CD	CD		OK
28	CD	CD		OK
29	CD	CD		OK
30	CD	CD		OK
31	CD	CD		OK
32	CD	CD		OK
33	CD	CD		OK
34	CD	CD		OK
35	CD	CD		OK
36	CD	CD		OK
37	CD	CD		OK
38	CD	CD		OK
39	CD	CD		OK
40	CD	CD		OK
41	CD	CD		OK
42	CD	CD		OK
43	CD	CD		OK
44	CD	CD		OK
45	CD	CD		OK
46	CD	CD		OK
47	CD	CD		OK
48	CD	CD		OK
49	CD	CD		OK
50	CD	CD		OK
51	CD	CD		OK
52	CD	CD		OK
53	CD	CD		OK
54	CD	CD		OK
55	CD	CD		OK
56	CD	CD		OK
57	CD	CD		OK
58	CD	CD		OK
59	CD	CD		OK
60	CD	CD		OK
61	CD	CD		OK
62	CD	CD		OK
63	CD	CD		OK
64	CD	CD		OK
65	CD	CD		OK
66	CD	CD		OK
67	CD	CD		OK
68	CD	CD		OK
69	CD	CD		OK
70	CD	CD		OK
71	CD	CD		OK
72	CD	CD		OK
73	CD	CD		OK
74	CD	CD		OK
75	CD	CD		OK
76	CD	CD		OK
77	CD	CD		OK
78	CD	CD		OK
79	CD	CD		OK
80	CD	CD		OK
81	CD	CD		OK
82	CD	CD		OK
83	CD	CD		OK
84	CD	CD		OK
85	CD	CD		OK
86	CD	CD		OK
87	CD	CD		OK
88	CD	CD		OK
89	CD	CD		OK
90	CD	CD		OK
91	CD	CD		OK
92	CD	CD		OK
93	CD	CD		OK
94	CD	CD		OK
95	CD	CD		OK
96	CD	CD		OK
97	CD	CD		OK
98	CD	CD		OK
99	CD	CD		OK
100	CD	CD		OK

root@localhost: ~ - Shell - Konsole

Data Load Page - Mozilla

14:50

FIG. 4

4/12

204

202

218

408

224

400

**connexion**

CBB ID: 2095431 SW Version: 2.18 [Update Aircraft Info](#)

Tail Number: LINE001 Aircraft Type: A344

### LRU Ping Status

Date/Time: Wednesday, 10 May 04 22:37:15 GMT

LRU Name	IP Address	Ping Status	Up Time
CSM	172.27.10.2	up	0:28:30
FSM Slot 2	172.27.10.2	up	0:33:40
FSM Slot 3	172.27.10.100 (back on)	up	unknown
FSM Slot 4	172.27.10.100 (back on)	up	unknown
AIR	172.27.10.4	up	0:38:00
ECM	172.27.10.4	up	0:38:50
OTR	172.27.10.5	up	unknown

Done

root@localhost: ~ - Shell - K...  
Data Load Page - Mozilla

14:37

FIG. 5

5/12




FIG. 6

500

6/12

```

<html>
<head>
<title>Top Page</title>
</head>

<body bgcolor=white>
<table valign=top cellpadding="0" cellspacing="0">
  <tr>
    <td>
      <a href="[[start_page]]" target=_top></a>
    </td>
    <td height=65>
      <table>
        [%foreach ([[top.choices]])%]
          <tr><td width=15>&nbsp;</td><td align=right><font
size="+1">[[top.line. [[foreach_var]].1]]:</font></td><td><font
size="+1">[[[[top.line. [[foreach_var]].1]]]]</font></td><td width=10>&nbsp;</td>
          <td width=15>&nbsp;</td><td align=right><font
size="+1">[[top.line. [[foreach_var]].2]]:</font></td><td><font
size="+1">[[[[top.line. [[foreach_var]].2]]]]</font></td></tr>
        [%endfor%]
      </table>
    </td>
    <td height=65>
      <table >
        <tr><td> <a href=[[cgi_path]]/dl_dataload/init_aircraft_info
target=main><font size="+1">Update Aircraft Info</font></a>
        <tr><td>&nbsp;</td>
      </table>
    </td>
  </tr>
</table>
</body>
</html>

```

600 ↗

FIG. 7

7/12

650  
↙

```

<html>
<head>
<title>Menu Page</title>
</head>

<body>
<table cellpadding="0" cellspacing="0" border="0">
  <tr>
    <td height=4 width=4 rowspan=110>&nbsp;</td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td colspan=3>
      <!-- here begins real menu -->
      <table border=0 cellpadding="0" cellspacing="0">
        <!-- indent the menus -->
        <tr>
          <td width=4></td><td width=4></td>
        </tr>

        [%if ("[[software_diag]]" eq "true") %]
          [%set (menu_title=[[menu_title_choices_engr]])%]
        [%elseif ("[[software_super]]" eq "true") %]
          [%set (menu_title=[[menu_title_choices_diag]])%]
        [%else%]
          [%set (menu_title=[[menu_title_choices]])%]
        [%endif%]
        [%foreach ([[menu_title]]) %]
          [%set (t_index=[[foreach_var]]) %]
          <tr><td><b><font size
= "+1">[[menu_title. [[t_index]].text]]</font></b></td></tr>
          [%foreach ([[menu. [[t_index]].choices]]) %]
            <tr><td>&nbsp;<a href=[[cgi_path]]/[[menu. [[foreach_var]].page]]
target=main><font size="+1">[[menu. [[foreach_var]].text]]</font></a></td></tr>
          [%endfor%]
          <tr><td>&nbsp;</td></tr>
        [%endfor%]
        <!-- End of menu -->
      </table>
    </td>
  </tr>
</table>
</body>
</html>

```

FIG. 8



8/12

680a

```
cgi_path=/cgi-bin/dataload
start_page=/dataload.html
logo_image=/cbb_logo.jpg
laptop_sw_pn=726-21178-003

# top.htm configuration
# the top_choices defines number of lines seperated by ,
top_choices=1,2
top.line.1.1=CBB ID
top.line.1.2=SW Version
top.line.2.1=Tail Number
top.line.2.2=Aircraft Type
CBB ID=2095431
SW Version=2.18
Tail Number=LINE001
Aircraft Type=A344

# menu.htm configuration
# menu title
menu_title_choices=1,2,3
menu_title_choices_engr=1,2,3,4
menu_title_choices_diag=1,2,3,4,5
menu_title.1.text=New Controller
menu_title.2.text=Update LRU
menu_title.3.text=Miscellaneous
menu_title.4.text=Engineering
menu_title.5.text=Diagnostic
# different sub menu
# the menu_choices defines number of menus seperated by ,
menu.1.choices=1,4
menu.2.choices=5..7
menu.3.choices=10,11,12,13,14,31,15
menu.4.choices=30,20,21,22,23,24,2,3
menu.5.choices=50
```

FIG. 9A

9/12

← 6806

```
menu.1.page=dl_cgi_dpu/dl_initial_dataload_csu.htm
menu.1.text=Initial Dataload(CSM)
menu.2.page=dl_cgi_dpu/dl_initial_dataload_egm.htm
menu.2.text=Initial Dataload(EGM)
menu.3.page=dl_cgi_dpu/dl_initial_dataload_aim.htm
menu.3.text=Initial Dataload(AIM)
menu.4.page=dl_cgi_dpu/dl_initial_dataload_fsm.htm
menu.4.text=Initial Dataload(FSM)
menu.5.page=dl_dataload/phase_1
menu.5.text=Load To MSD
menu.6.page=dl_dataload/phase_2
menu.6.text=Load To LRU
menu.7.page=dl_cgi_dpu/dl_cwlucfg.htm
menu.7.text=Autoconfig CWLU
menu.10.page=dl_cgi_dpu/dl_sysinfo_wait.htm
menu.10.text=LRU Ping Status
menu.11.page=dl_cgi_dpu/dl_sysconfig_main.htm
menu.11.text=Configuration Check
menu.12.page=dl_dataload/delete_msd
menu.12.text=Delete MSD
menu.13.page=dl_cgi_dpu/dl_copy_cd_to_hd.htm
menu.13.text=Copy CD to HD
```

```
menu.14.page=dl_cgi_dpu/dl_onlinedoc.htm
menu.14.text=Online Document
menu.15.page=dl_retrieve_log/dl_retrieve_log
menu.15.text=Retrieve Log Files
menu.20.page=dl_cgi_dpu/dl_snmp.htm
menu.20.text=Do SNMP
menu.21.page=dl_cgi_dpu/dl_viewlog.htm
menu.21.text=View Log
menu.22.page=dl_cgi_dpu/dl_set_special.htm
menu.22.text=Set Special Flag
menu.23.page=dl_cgi_dpu/dl_latte_access.htm
menu.23.text=Latte Access
menu.24.page=dl_cgi_dpu/dl_set_csm_date.htm
menu.24.text=Set CSM Date
menu.30.page=dl_cgi_dpu/dl_misc_status.htm
menu.30.text=System Status
menu.31.page=dl_cgi_dpu/dl_satcomm.htm
menu.31.text=Set SatCom Param
menu.50.page=dl_cgi_dpu/dl_diagnostic.htm
menu.50.text=Software Diag
```

```
software_diag=false
```

FIG. 9B

10/12

700  
↙

```

<html>
<head>
<title>Top Page</title>
</head>
<body bgcolor=white>
<table valign=top cellpadding="0" cellspacing="0">
  <tr>
    <td>
      <a href="/dataload.html" target=_top></a>
    </td>

    <td height=65>
      <table>
        <tr><td width=15>&nbsp;</td><td align=right><font size="+1">CBB
ID:</font></td><td><font size="+1">2095431</font></td><td width=10>&nbsp;</td>
        <td width=15>&nbsp;</td><td align=right><font size="+1">SW
Version:</font></td><td><font size="+1">2.18</font></td></tr>
        <tr><td width=15>&nbsp;</td><td align=right><font size="+1">Tail
Number:</font></td><td><font size="+1">LINE001</font></td><td width=10>&nbsp;</td>
        <td width=15>&nbsp;</td><td align=right><font size="+1">Aircraft
Type:</font></td><td><font size="+1">A344</font></td></tr>

      </table>
    </td>

    <td height=65>
      <table>
        <tr><td> <a href=/cgi-bin/dataload/dl_dataload/init_aircraft_info
target=main><font size="+1">Update Aircraft Info</font></a>
        <tr><td>&nbsp;</td>
      </table>
    </td>

  </tr>
</table>
</body>
</html>

```

FIG. 10

11/12

750a  
↙

```
<html>
<head>
<title>Menu Page</title>
</head>
<body>
<table cellpadding="0" cellspacing="0" border="0">
  <tr>
    <td height=4 width=4 rowspan=110>&nbsp;</td>
  </tr>
<!-- first menu -->

  <tr>
    <td>&nbsp;</td>
    <td colspan=3>
      <!-- here begins real menu -->
      <table border=0 cellpadding="0" cellspacing="0">
        <!-- indent the menus -->
        <tr>
          <td width=4></td><td width=4></td>
        </tr>

        <!-- Menu -->
        <tr><td><b><font size="+1">New Controller</font></b></td></tr>
          <tr><td>&nbsp;<a href=/cgi-
bin/dataload/dl_cgi_dpu/dl_initial_dataload_csu.htm target=main><font
size="+1">Initial Dataload(CSM)</font></a></td></tr>
          <tr><td>&nbsp;<a href=/cgi-
bin/dataload/dl_cgi_dpu/dl_initial_dataload_fsm.htm target=main><font
size="+1">Initial Dataload(FSM)</font></a></td></tr>
          <tr><td>&nbsp;</td></tr>
          <tr><td><b><font size="+1">Update LRU</font></b></td></tr>
          <tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_dataload/phase_1
target=main><font size="+1">Load To MSD</font></a></td></tr>
```

FIG. 11A

12/12

7506

```
<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_dataload/phase_2
target=main><font size="+1">Load To LRU</font></a></td></tr>
<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_cgi_dpu/dl_cwlucfg.htm
target=main><font size="+1">Autoconfig CWLU</font></a></td></tr>
<tr><td>&nbsp;</td></tr>
<tr><td><b><font size="+1">Miscellaneous</font></b></td></tr>
<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_cgi_dpu/dl_sysinfo_wait.htm
target=main><font size="+1">LRU Ping Status</font></a></td></tr>
<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_cgi_dpu/dl_sysconfig_main.htm
target=main><font size="+1">Configuration Check</font></a></td></tr>

<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_dataload/delete_msd
target=main><font size="+1">Delete MSD</font></a></td></tr>
<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_cgi_dpu/dl_copy_cd_to_hd.htm
target=main><font size="+1">Copy CD to HD</font></a></td></tr>
<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_cgi_dpu/dl_onlinedoc.htm
target=main><font size="+1">Online Document</font></a></td></tr>
<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_cgi_dpu/dl_satcomm.htm
target=main><font size="+1">Set SatCom Param</font></a></td></tr>
<tr><td>&nbsp;<a href=/cgi-bin/dataload/dl_retrieve_log/dl_retrieve_log
target=main><font size="+1">Retrieve Log Files</font></a></td></tr>
<tr><td>&nbsp;</td></tr>

<!-- End of menu -->
</table>
</td>
</tr>
</table>
</body>
</html>
```

FIG. 11B